

Cambridge O Level

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |



COMPUTER SCIENCE

2210/21

Paper 2 Problem-solving and Programming

May/June 2020

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- **Do not attempt Tasks 1, 2 and 3** in the copy of the pre-release material on page 2; these are for information only.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- Calculators must not be used in this paper.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].
- No marks will be awarded for using brand names of software packages or hardware.

Section A

You are advised to spend no longer than 40 minutes answering this section.

Here is a copy of the pre-release material.

DO NOT attempt Tasks 1, 2 and 3 now.

Use the pre-release material and your experience from attempting the tasks before the examination to answer Question 1.

Pre-release material

A shop sells a range of mobile devices, SIM cards and accessories as shown in the table:

| Category | Item code | Description | Price (\$) |
|----------|-----------|---|------------|
| Phone | BPCM | Compact | 29.99 |
| Phone | BPSH | Clam Shell | 49.99 |
| Phone | RPSS | RoboPhone – 5-inch screen and 64 GB memory | 199.99 |
| Phone | RPLL | RoboPhone – 6-inch screen and 256 GB memory | 499.99 |
| Phone | YPLS | Y-Phone Standard – 6-inch screen and 64 GB memory | 549.99 |
| Phone | YPLL | Y-Phone Deluxe – 6-inch screen and 256 GB memory | 649.99 |
| Tablet | RTMS | RoboTab – 8-inch screen and 64 GB memory | 149.99 |
| Tablet | RTLM | RoboTab – 10-inch screen and 128 GB memory | 299.99 |
| Tablet | YTLM | Y-Tab Standard – 10-inch screen and 128 GB memory | 499.99 |
| Tablet | YTLL | Y-Tab Deluxe – 10-inch screen and 256 GB memory | 599.99 |
| SIM card | SMNO | SIM Free (no SIM card purchased) | 0.00 |
| SIM card | SMPG | Pay As You Go (SIM card purchased) | 9.99 |
| Case | CSST | Standard | 0.00 |
| Case | CSLX | Luxury | 50.00 |
| Charger | CGCR | Car | 19.99 |
| Charger | CGHM | Home | 15.99 |

Write and test a program or programs for this shop.

- Your program or programs must include appropriate prompts for the entry of data; data must be validated on entry.
- Error messages and other output need to be set out clearly and understandably.
- All arrays, variables, constants and other identifiers must have meaningful names.

You will need to complete these three tasks. Each task must be fully tested.

Task 1 – Setting up the system.

Write a program to:

- use appropriate data structures to store the item code, description and price information for the mobile devices, SIM cards and accessories
- allow the customer to choose a specific phone or tablet
- allow phone customers to choose whether the phone will be SIM Free or Pay As You Go
- allow the customer to choose a standard or luxury case
- allow the customer to choose the chargers required (none, one or both may be purchased)
- calculate the total price of this transaction
- output a list of the items purchased and the total price.

Task 2 – Allow a customer to order multiple mobile devices.

Extend Task 1 to:

- offer the customer the opportunity to purchase an additional mobile device
- if required, perform bulleted steps 2 to 7 of **Task 1** for each additional mobile device and calculate a running total for the customer
- once no further devices are required, output the total the customer will need to pay.

Task 3 – Offering discounts.

Extend the program to allow a discount of 10% off the price of every additional phone or tablet purchased.

Output the new total the customer will need to pay and the amount of money saved.

1

| All | varia | bles, constants and other identifiers must have meaningful names. |
|-----|-------|--|
| (a) | (i) | Identify two arrays you could have used for Task 1 and, in each case, state its purpose. |
| | | Array 1 |
| | | Purpose |
| | | |
| | | |
| | | Array 2 |
| | | Purpose |
| | | |
| | | |
| | | [4] |
| | (ii) | Identify two variables you could have used for Task 1 and, in each case, state its purpose. |
| | | Variable 1 |
| | | Purpose |
| | | |
| | | |
| | | Variable 2 |
| | | Purpose |
| | | |
| | | |
| | | [4] |
| (b) | - | plain why the item code data could not be stored as a real data type and identify the most able data type for the item code data. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [2] |

| initialisatio | on or sett | ing up o | f arrays | contai | ning pro | duct de | tails. | | sary |
|-------------------|------------|----------|----------|--------|----------|---------|--------|------|-------|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | ••••• |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | ••••• | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| | | ••••• |
|-----------|------|-------|
| ••••• | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| ••••• | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | re |

| er must | | | | | | | |
|---------|------|------|------|------|------|------|------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Section B starts on page 8.

Section B

2 Tick (\checkmark) one box in each row to identify if the statement about structure diagrams is true or false.

| Statement | True (√) | False (√) |
|---|-------------|--------------|
| A structure diagram is a piece of code that is available throughout the structure of a program. | | |
| A structure diagram shows the hierarchy of a system. | | |
| A structure diagram is another name for an array. | | |
| A structure diagram shows the relationship between different components of a system. | | |

| 1 | a system. | | |
|-----|--|-------------|-----|
| | | | [2] |
| Pro | grams can perform validation and verification checks when data is entere | ed. | |
| (a) | Give the names of two different validation checks and state the purpose | e of each o | ne. |
| | Check 1 | | |
| | Purpose | | |
| | | | |
| | | | |
| | Check 2 | | |
| | Purpose | | |
| | | | |
| | | | [4] |
| (b) | Give the name of one verification check. | | [ד] |
| | | | [1] |
| (c) | Describe the difference between validation and verification. | | |
| | | | |
| | | | |
| | | | |
| | | | |

| 4 | The | pseudocode | algorithm | shown | should | allow | numbers | to | be | entered | and | should | allow |
|---|-------|--------------|-------------|----------|--------|-------|---------|----|----|---------|-----|--------|-------|
| | 50 nı | umbers to be | stored in a | n array. | | | | | | | | | |


| Count \leftarrow 0 | |
|----------------------|-------------|
| REPEAT | |
| INPUT Va | lues[Count] |
| Count \leftarrow | Count + 1 |
| UNTIL Coun | t = 0 |

| | onth count - o |
|-----|---|
| (a) | Explain why the algorithm will never end. |
| | |
| | |
| | |
| | [2] |
| (b) | Re-write the original pseudocode so that it terminates correctly and also prevents numbers below 100 from being stored in the array <code>Values[]</code> |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | [4] |
| (c) | Describe how you could change your pseudocode in part (b) so that it prevents numbers below 100 and above 200 from being stored in the array <code>Values[]</code> |
| | |
| | |
| | [2] |

5 The flowchart represents an algorithm.

The predefined function DIV gives the value of the result of integer division, for example, $y \leftarrow 9$ DIV 4 gives y a value of 2

An input value of -1 ends the algorithm.



(a) Complete the trace table for the input data:

50, 33, 18, 15, 30, -1, 45, 12, 90, 6

| Value | Calc1 | Calc2 | OUTPUT |
|-------|-------|-------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| | | [4] |
|-----|--|-------|
| (b) | Describe the purpose of the algorithm. | |
| | | |
| | | |
| | | ••••• |
| | | [2] |

6 A garden centre sells garden tools and stores details of these in a database table named TOOLS. **Code** is the primary key in the TOOLS table.

| Code | Description | Price (\$) | Quantity_Stock | Quantity_Ordered |
|------|------------------------|------------|----------------|------------------|
| GFLG | Garden Fork | 50.00 | 1 | 50 |
| GSLG | Garden Spade | 50.00 | 11 | 0 |
| GHLG | Garden Hoe | 45.00 | 8 | 0 |
| HFSM | Hand Fork | 9.99 | 42 | 0 |
| HSSM | Hand Spade | 9.99 | 40 | 0 |
| HWSM | Hand Weeder | 9.99 | 11 | 0 |
| HS20 | Hose (20 metres) | 45.00 | 10 | 0 |
| HS35 | Hose (35 metres) | 60.00 | 2 | 0 |
| HS50 | Hose (50 metres) | 75.00 | 20 | 60 |
| YBLG | Yard Brush | 24.99 | 100 | 0 |
| LMHD | Lawn Mower | 99.99 | 5 | 0 |
| LMBT | Lawn Mower (Battery) | 249.99 | 7 | 0 |
| LMPT | Lawn Mower (Petrol) | 349.99 | 10 | 25 |
| TRBT | Edge Trimmer (Battery) | 79.99 | 15 | 0 |
| TRPT | Edge Trimmer (Petrol) | 59.99 | 20 | 0 |
| SHSM | Shears | 40.00 | 40 | 0 |
| HCSM | Hedge Clippers | 40.00 | 45 | 0 |

| (a) | State the purpose of the primary key in the TOOLS table. | | | |
|-----|--|--|--|--|
| | | | | |
| | | | | |
| | [1] | | | |

(b) List the output from the data shown in the table TOOLS that would be given by this query-by-example.

| Field: | Code | Description | Price (\$) | Quantity_Stock | Quantity_Ordered | | | | | |
|--|----------|-------------|------------|----------------|------------------|--|--|--|--|--|
| Table: | TOOLS | TOOLS | TOOLS | TOOLS | TOOLS | | | | | |
| Sort: | | | | | Descending | | | | | |
| Show: | ✓ | ✓ | | | ✓ | | | | | |
| Criteria: | | | >40 | >0 | >0 | | | | | |
| or: | | | | | | | | | | |
| | | | | | 1 | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | [3] | | | | | |
| (c) Complete the query-by-example grid to output the tools where the quantity in stock is below 25. Only show the Code, Description and Quantity_Stock fields in ascending order of Code. | | | | | | | | | | |
| Field: | | | | | | | | | | |
| Table: | | | | | | | | | | |
| Sort: | | | | | | | | | | |
| Show: | | | | | | | | | | |
| Criteria: | | | | | | | | | | |
| or: | | | | | | | | | | |

[3]

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.